


**Freiborne**

15 W. Silverdome Industrial Park  
 Pontiac, MI 48342  
 Phone: 248-333-2490 Fax: 248-333-2492  
 info@freiborne.com

## Product Type - Forming Lubricants

Part Number	Description	Applications	Substrate	Temp Range	Product Type	Product Line	Method	Size
<a href="#">Formlube 1</a>	<a href="#">Reactive Soap Lubricant</a>	Drawing, Stamping, Extrusion	Galvanized Steel	165-195	Lubricant	Formlube	Immersion	Fiber Drum, Super Sack - Large, Super Sack - Medium, Super Sack - Small
<a href="#">Formlube 14</a>	<a href="#">Non-Reactive Multi-Step Lubricant</a>	Drawing, Extrusion	Carbon Steel, Galvanized Steel, Stainless Steel, Aluminum, Copper/Brass	180-200	Lubricant	Formlube	Immersion	Fiber Drum, Super Sack - Large, Super Sack - Medium, Super Sack - Small
<a href="#">Formlube 15VP</a>	<a href="#">Non-Reactive Cold Forming Lubricant</a>	Stamping, Extrusion	Carbon Steel, Galvanized Steel	180-200	Lubricant	Formlube	Immersion	Fiber Drum, Super Sack - Large, Super Sack - Medium, Super Sack - Small
<a href="#">Formlube 1CU</a>	<a href="#">High Film Strength Reactive Soap Lubricant</a>	Drawing, Extrusion	Copper/Brass	180-200	Lubricant	Formlube	Immersion	Fiber Drum, Super Sack - Large, Super Sack - Medium, Super Sack - Small
<a href="#">Formlube 231</a>	<a href="#">Concentrated High Film Strength Reactive Soap Lubricant</a>	Drawing, Extrusion	Carbon Steel, Stainless Steel, Aluminum, Copper/Brass	165-190	Lubricant	Formlube	Immersion	Fiber Drum, Super Sack - Large, Super Sack - Medium, Super Sack - Small
<a href="#">Formlube 23M</a>	<a href="#">Reactive Cold Forming Aluminum Lubricant</a>	Drawing, Extrusion	Aluminum	175-195	Lubricant	Formlube	Immersion	Fiber Drum, Super Sack - Large, Super Sack - Medium, Super Sack - Small
<a href="#">Formlube 25</a>	<a href="#">Non-Reactive Water-Based Cold Forming Lubricant</a>	Drawing, Extrusion	Carbon Steel, Galvanized Steel, Stainless Steel, Aluminum, Copper/Brass	Ambient	Lubricant	Formlube	Spray or Immersion	275 Gallon Tote, 330 Gallon Tote, 55 Gallon Drum
<a href="#">Formlube 3</a>	<a href="#">Non-Reactive High Film Strength</a>	Drawing, Stamping, Extrusion,	Galvanized Steel	160-200	Lubricant	Formlube	Immersion	Fiber Drum, Super Sack - Large, Super

Part Number	Description	Applications	Substrate	Temp Range	Product Type	Product Line	Method	Size
	<a href="#">Severe Cold Forming Lubricant</a>	Metal Working						Sack - Medium, Super Sack - Small
<a href="#">Formlube 30</a>	<a href="#">Non-Reactive Cold Forming Lubricant</a>	Drawing, Extrusion	Carbon Steel	175-195	Lubricant	Formlube	Immersion	Fiber Drum, Super Sack - Large, Super Sack - Medium, Super Sack - Small
<a href="#">Formlube 36-22</a>	<a href="#">Polymeric Emulsion Cold Forming Lubricant</a>	Drawing, Stamping, Extrusion	Carbon Steel, Aluminum, Copper/Brass	ambient-120	Lubricant	Formlube	Spray or Immersion	275 Gallon Tote, 330 Gallon Tote, 55 Gallon Drum
<a href="#">Formlube 407</a>	<a href="#">Water Based Polymer Lubricant</a>	Drawing, Stamping, Extrusion	Carbon Steel, Galvanized Steel, Stainless Steel, Aluminum, Copper/Brass	Ambient - 140	Lubricant	Formlube	Spray or Immersion	275 Gallon Tote, 330 Gallon Tote, 55 Gallon Drum
<a href="#">Formlube 44</a>	<a href="#">Polymeric Emulsion Stamping Lubricant</a>	Drawing, Extrusion	Carbon Steel	Ambient-130	Lubricant	Formlube	Spray or Immersion	275 Gallon Tote, 330 Gallon Tote, 55 Gallon Drum
<a href="#">Formlube 47</a>	<a href="#">Polymeric Emulsion Corrosion Protection Cold Forming Lubricant</a>	Drawing, Stamping, Extrusion	Carbon Steel, Galvanized Steel, Stainless Steel, Aluminum, Copper/Brass	ambient-140	Lubricant	Formlube	Spray or Immersion	275 Gallon Tote, 330 Gallon Tote, 55 Gallon Drum
<a href="#">Formlube 5</a>	<a href="#">Coating and Lubricant System</a>	Drawing, Extrusion	Carbon Steel, Galvanized Steel, Stainless Steel, Aluminum, Copper/Brass	160-200	Lubricant	Formlube	Immersion	Fiber Drum, Super Sack - Large, Super Sack - Medium, Super Sack - Small
<a href="#">Formlube 50A</a>	<a href="#">Polymer Emulsion/Dispersion Cold Forming Lubricant</a>	Drawing, Extrusion	Carbon Steel, Stainless Steel, Aluminum, Copper/Brass	Ambient-130	Lubricant	Formlube	Spray or Immersion	275 Gallon Tote, 330 Gallon Tote, 55 Gallon Drum
<a href="#">Formlube 51A</a>	<a href="#">Water-Based Polymer Blend Lubricant</a>	Drawing, Stamping, Extrusion, Warm Forming	Carbon Steel, Galvanized Steel, Stainless Steel, Aluminum, Copper/Brass	Ambient-130	Lubricant	Formlube	Spray or Immersion	275 Gallon Tote, 330 Gallon Tote, 55 Gallon Drum
<a href="#">Formlube 7</a>	<a href="#">Reactive Soap High Film Strength Lubricant</a>	Drawing, Extrusion	Carbon Steel, Stainless Steel	165-195	Lubricant	Formlube	Immersion	Fiber Drum, Super Sack - Large, Super Sack - Medium, Super Sack - Small
<a href="#">Formlube</a>	<a href="#">Graphite-Free</a>	Warm Forming	Carbon Steel,	1200-2100	Lubricant	Formlube	Spray	275 Gallon

Part Number	Description	Applications	Substrate	Temp Range	Product Type	Product Line	Method	Size
<a href="#">HT402</a>	<a href="#">Die Coolant Lubricant</a>		Galvanized Steel, Stainless Steel, Aluminum, Copper/Brass					Tote, 330 Gallon Tote, 55 Gallon Drum
<a href="#">Formlube HT552</a>	<a href="#">Formlube HT552</a>	Stamping, Extrusion, Warm Forming	Carbon Steel, Galvanized Steel, Stainless Steel, Aluminum, Copper/Brass	ambient-1850	Lubricant	Formlube	Spray or Immersion	275 Gallon Tote, 330 Gallon Tote, 55 Gallon Drum
<a href="#">Formlube HT553</a>	<a href="#">Formlube HT553</a>	Stamping, Extrusion, Warm Forming	Carbon Steel, Galvanized Steel, Stainless Steel, Aluminum, Copper/Brass	ambient-1850	Lubricant	Formlube	Spray	275 Gallon Tote, 330 Gallon Tote, 55 Gallon Drum
<a href="#">Limelite 3</a>	<a href="#">Uniform Lime Additive for Improved Adhesion</a>	Drawing, Extrusion	Carbon Steel, Galvanized Steel, Stainless Steel, Aluminum, Copper/Brass	150-210	General	Limelite	Immersion	275 Gallon Tote, 330 Gallon Tote, 55 Gallon Drum
<a href="#">Limelite 4</a>	<a href="#">Stain Reducing Lime Additive for Improved Adhesion and Coating Weight</a>	Drawing, Extrusion	Carbon Steel, Galvanized Steel, Stainless Steel, Aluminum, Copper/Brass	150-210	General	Limelite	Immersion	Fiber Drum, Super Sack - Large, Super Sack - Medium, Super Sack - Small
<a href="#">Limelite 5</a>	<a href="#">Adhesion Improving Lime Bath Additive</a>	Drawing, Extrusion, Protection	Carbon Steel, Galvanized Steel, Stainless Steel, Aluminum, Copper/Brass	Ambient-210	General	Limelite	Spray or Immersion	Fiber Drum, Super Sack - Large, Super Sack - Medium, Super Sack - Small